

PVC Wrapping Door

Supplier Name: Anhui KOJO New Material Technology Co., Ltd.

Address: Lingang Industrial Park, Economic Development Zone,
Chizhou City, Anhui, China

Contact: Miss Phoebe

Telephone: 86-571-23287219

Mobile Phone: 86-15956565803

01



Fire-Resistant and High
Hardness WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$50.00-80.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

02



Fire-Resistant and High
Quality WPC Door (KM-
02)


Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

03



Pressure Resistant WPC Door

[Contact Supplier](#)

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:

Material	Wood Plastic Composite
Door Core Material	WPC and Wood
Veneer Material	WPC
Open Style	Swing
Function	Waterproof
Inner Frame Layout	Medium Density Grid
Inner Frame Material	WPC
Position	Interior
Surface Finishing	Finished
Regular Height	2030mm
Certification	SGS
Place of Origin	Zhejiang, China (Mainland)
Surface Finished	Painting or Wrapping PVC Film
Door Thickness	35mm,45mm
Product Packing	Carton
Product Standard	SGS
Product Trademark	KOJO
Product Origin	Zhejiang, China

04



Pressure Resistant and
Waterproof WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:	Open Style	Swing
	Inner Frame Layout	Medium Density Grid
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

05



**Pressure Resistant and
Moisture-Proof WPC
Door**

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

06



Pressure Resistant and
Insect-Resistant WPC
Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

07



Pressure Resistant and
Termite Resistant WPC
Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

08



Pressure Resistant and
Environment-Friendly
WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

09



Pressure Resistant and
Recyclable WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

010



Pressure Resistant and Multi-Specification WPC Door (KM-15)

[Contact Supplier](#)

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

011



Pressure Resistant and No
Formaldehyde WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

012



Recyclable and
Environment-Friendly
WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Wuhu

Product Attribute:	Open Style	Swing
	Inner Frame Layout	Medium Density Grid
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

013



Recyclable and Pollution-Free WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

014



Pressure Resistant and
Pollution-Free WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$59.00-83.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

015



Pressure Resistant and
High Hardness WPC Door


Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

016



Pressure Resistant and
High Quality WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

017



Fire-Resistant and No
Formaldehyde WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Nanjing

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China

018



Pollution-Free and
Environment-Friendly
WPC Door

Contact Supplier

Price:	Min. Order(Pieces)	FOB Price
	50+	US \$51.00-75.00

Port: Wuhu

Product Attribute:	Material	Wood Plastic Composite
	Door Core Material	WPC and Wood
	Veneer Material	WPC
	Open Style	Swing
	Function	Waterproof
	Inner Frame Layout	Medium Density Grid
	Inner Frame Material	WPC
	Position	Interior
	Surface Finishing	Finished
	Regular Height	2030mm
	Certification	SGS
	Place of Origin	Zhejiang, China (Mainland)
	Surface Finished	Painting or Wrapping PVC Film
	Door Thickness	35mm,45mm
	Product Packing	Carton
	Product Standard	SGS
	Product Trademark	KOJO
	Product Origin	Zhejiang, China